



# SPEED SCRUB<sup>®</sup> 350

Stand-On Floor Scrubber



# Confidence comes from choosing equipment that helps you meet your facility goals

## The Speed Scrub® 350

### Cost Effective & Reliable

- Clean over 30,000 square feet per hour without sacrificing performance
- Maximize machine usage with up to 94 minutes between dumps and fill cycles and up to 4 hours of battery run time

### Versatile Cleaning Performance

- Reduce the risk of slip-and-fall accidents with advanced squeegee design
- Incorporate daytime cleaning with Quiet-Mode™ that reduces machine noise levels to as low as 59.7 dBA

### Easy Operation & Maintenance

- Ensure operator comfort and control with ergonomics and easy-to-use steering and controls
- Simplify training with on-board machine instructions for operators



## Innovative technologies

### 1. Smart-Fill™ Automatic Battery Watering System

Smart-Fill™ makes battery maintenance safer by removing the task of checking, opening, and filling flooded batteries.



### 2. Pro-Panel® LCD touchscreen Technology

Deliver predictable cleaning results with operator ID, on-demand tutorial videos and customizable Zone Settings™ with Pro-Panel technology.




Built to be **tough**. Made to be **easy**.



## SPEED SCRUB® 350 PROVIDES CATEGORY LEADING PRODUCTIVITY

*Tennant practical productivity calculations*



## EXCLUSIVE TECHNOLOGY (optional cleaning innovation)

ec-H2O NanoClean®  
technology electrically  
converts water into



an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact compared to daily cleaning floor chemicals and methods.†

†ec-H2O NanoClean® technology is not suitable for all soils, including heavy concentrations of fats and oils. Depending on the type of soil, conventional chemical cleaners may be required.

- 3. IRIS® Asset Manager**  
Increase productivity, reduce cost to clean and make informed decisions with intelligent insights from IRIS® Asset Manager.



- 4. Insta-Click™**  
Standard magnetic head allows pads and brushes to be ergonomically positioned and results in faster installation.



# SPEED SCRUB® 350 STAND-ON FLOOR SCRUBBER



	20 IN / 500 MM SINGLE DISK SELF PROPEL	24 IN / 600 MM DUAL DISK SELF PROPEL
Cleaning Tool Attachment	Insta-Click™ Standard	Insta-Click™ Standard
Machine Speed		
Top Scrub and Forward Transport	3.6 mph (5.8 km/hr)	3.6 mph (5.8 km/hr)
Top Reverse Transport	1.1 mph (1.8 km/hr)	1.1 mph (1.8 km/hr)
Scrubbing Coverage Rate Per Hour		
Theoretical Max	31,680 ft <sup>2</sup> (2,946 m <sup>2</sup> )	38,016 ft <sup>2</sup> (3,535 m <sup>2</sup> )
Conventional - Practical	24,588 ft <sup>2</sup> (2,287 m <sup>2</sup> )	30,052 ft <sup>2</sup> (2,795 m <sup>2</sup> )
ec-H2O NanoClean® - Practical	25,284 ft <sup>2</sup> (2,351 m <sup>2</sup> )	30,903 ft <sup>2</sup> (2,874 m <sup>2</sup> )
<b>CONTROL PANEL</b>		
Pro-Membrane™	Standard	Standard
LCD Pro-Panel™ Touch Screen	Optional	Optional
<b>BRUSH/PAD DRIVE SYSTEM</b>		
Cleaning Path	20 in / 500 mm	24 in / 600 mm
Pad/Brush RPM	215 rpm	275 rpm
Pad/Brush Down Pressure	62 & 90 lbs (28 & 41 kg)	64 & 91 lbs (29 & 41 kg)
Scrub Motor	24 VDC, 0.87 HP / 0.65 kW	24 VDC, 0.87 HP / 0.65 kW
<b>SOLUTION/RECOVERY SYSTEM</b>		
Solution Tank Capacity	14.1 gal (53 L)	14.1 gal (53 L)
Recovery Tank Capacity	18.4 gal (70 L)	18.4 gal (70 L)
Drive Motor	24 VDC, 0.64 HP / 0.48 kW	24 VDC, 0.64 HP / 0.48 kW
Vacuum Motor	24 VDC, 0.62 hp / 0.46 kW	24 VDC, 0.62 hp / 0.46 kW
Vacuum Water Lift	42 in (1,067 mm)	42 in (1,067 mm)
<b>CLEANING TECHNOLOGY</b>		
Conventional	Standard	Standard
ec-H2O NanoClean® Technology	Optional	Optional
Conventional Water Flow	0.15 / 0.35 / 0.50 gpm	0.15 / 0.35 / 0.50 gpm
ec-H2O NanoClean® Technology	0.57 / 1.32 / 1.89 lpm	0.57 / 1.32 / 1.89 lpm
Water Flow	0.12 / 0.25 / 0.35 gpm	0.12 / 0.25 / 0.35 gpm
	0.45 / 0.95 / 1.32 lpm	0.45 / 0.95 / 1.32 lpm
<b>BATTERY SYSTEM</b>		
System Voltage / Battery Count	24 Volts / 4	24 Volts / 4
Batteries	Wet 210 AH	Wet 210 AH
	Wet 240 AH (Provides longest run time)	Wet 240 AH (Provides longest run time)
	Sealed AGM 220AH	Sealed AGM 220AH
Battery Run Time* (Up to Hours)	3.1	4.0
On-Board Charger	Yes	Yes
<b>DECIBEL RATINGS AT OPERATOR EAR**</b>		
Standard - dBA	63.7	64.5
Quiet-Mode™ - dBA	59.7	61.3
<b>MACHINE DIMENSIONS AND WEIGHTS</b>		
Overall Width with Squeegee	30.1" / 765 mm	31.2" / 793 mm
Length X Width X Height	55 X 26.5 X 49 Inches	55 X 26.5 X 49 Inches
	1,397 X 673 X 1,245 mm	1,397 X 673 X 1,245 mm
Weight (less batteries)	490 lbs / 222 kg	495 lbs / 225 kg
Weight (with batteries)	725 lbs / 329 kg	730 lbs / 331 kg
<b>WARRANTY</b>		
See your local representative for warranty information		
<p><small>*Run times are based on Continuous Scrubbing Run Times. **Sound levels per ISO 11201 as recommended by the American Association of Cleaning Equipment Manufacturers &amp; OSHA. Specifications subject to change without notice.</small></p>		
		 <p>ec-H2O NanoClean™ technology is NFSI (National Floor Safety Institute) Certified</p>
		 <p>ec-H2O NanoClean technology is registered by NSF International</p>

Engineered by Tennant Company, the Speed Scrub® 350 is the smart, reliable choice for your no-nonsense cleaning needs.

**Nobles**  
701 North Lilac Drive  
Minneapolis, MN 55422  
USA/Canada: +1.800.553.8033  
Quebec: +1.800.361.9050  
www.nobles.com  
nobles@tennantco.com